

WEST

Help

Logout

Interrupt

Main Menu

Search Form

Posting Counts

Show S Numbers

Edit S Numbers

Preferences

Cases

Search Results -

Terms	Documents
4506086.pn. or 3454603.pn.	2

Database:

US Patents Full-Text Database
 US Pre-Grant Publication Full-Text Database
 JPO Abstracts Database
 EPO Abstracts Database
 Derwent World Patents Index
 IBM Technical Disclosure Bulletins

Search:

L9

Refine Search

Recall Text

Clear

Search History
DATE: Wednesday, February 26, 2003
[Printable Copy](#)
[Create Case](#)
Set Name Query

side by side

Hit Count Set Name

result set

*DB=USPT; PLUR=YES; OP=ADJ*L9 4506086.pn. or 3454603.pn.2 L9*DB=USPT,PGPB,JPAB,EPAB,DWPI,TDBD; PLUR=YES; OP=ADJ*L8 (1757468| 3454603| 4169152| 4506086| 4564645| 4564692| 4659846| 6288284)! [pn]15 L8L7 (1757468| 3454603| 4169152| 4506086| 4564645| 4564692| 4659846| 6288284)! [pn]15 L7L6 L5 and l44 L6L5 549/\$ or 568/\$97815 L5L4 exchange resin and L37 L4L3 L2 and catalyst32 L3L2 L1 and zeol\$654 L2L1 isosorbide or anhydrosugar alcohol2743 L1

=> s anhydrosugar alcohol and dehydrat? and ino exchange resin

88 ANHYDROSUGAR

179272 ALCOHOL

0 ANHYDROSUGAR ALCOHOL

(ANHYDROSUGAR (W) ALCOHOL)

123842 DEHYDRAT?

766 INO

484963 EXCHANGE

501555 RESIN

0 INO EXCHANGE RESIN

(INO (W) EXCHANGE (W) RESIN)

L1 0 ANHYDROSUGAR ALCOHOL AND DEHYDRAT? AND INO EXCHANGE RESIN

=> s anhydrosugar alcohol and dehydrat? and ion exchange resin

88 ANHYDROSUGAR

179272 ALCOHOL

0 ANHYDROSUGAR ALCOHOL

(ANHYDROSUGAR (W) ALCOHOL)

123842 DEHYDRAT?

980308 ION

484963 EXCHANGE

501555 RESIN

14814 ION EXCHANGE RESIN

(ION (W) EXCHANGE (W) RESIN)

L2 0 ANHYDROSUGAR ALCOHOL AND DEHYDRAT? AND ION EXCHANGE RESIN

=> s isosorbide and dehydrat? and ion exchange resin

2315 ISOSORBIDE

123842 DEHYDRAT?

980308 ION

484963 EXCHANGE

501555 RESIN

14814 ION EXCHANGE RESIN

(ION (W) EXCHANGE (W) RESIN)

L3 2 ISOSORBIDE AND DEHYDRAT? AND ION EXCHANGE RESIN

=> d 1-2 ibib abs hitstr

L3 ANSWER 1 OF 2 CAPLUS COPYRIGHT 2003 ACS

ACCESSION NUMBER: 2001:816671 CAPLUS

DOCUMENT NUMBER: 135:344673

TITLE: Improved synthesis of anhydroglycitols esters of improved color

INVENTOR(S): Van Es, Daniel Stephan; Frissen, Augustinus Emmanuel; Luitjes, Hendrikus

PATENT ASSIGNEE(S): Instituut voor Agrotechnologisch Onderzoek (Ato-Dlo), Neth.

SOURCE: PCT Int. Appl., 13 pp.

CODEN: PIXXD2

DOCUMENT TYPE: Patent

LANGUAGE: English

FAMILY ACC. NUM. COUNT: 1

PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 2001083488	A1	20011108	WO 2001-NL342	20010504
W:	AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, TZ, UA, UG, US, UZ, VN, YU, ZA, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM			
RW:	GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZW, AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG			
NL 1015119	C2	20011106	NL 2000-1015119	20000504

EP 1278752 A1 2 129 EP 2001-928252 20 04
R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT,
IE, SI, LT, LV, FI, RO, MK, CY, AL, TR
PRIORITY APPLN. INFO.: NL 2000-1015119 A 20000504
WO 2001-NL342 W 20010504

OTHER SOURCE(S): CASREACT 135:344673

AB Diesters of dianhydroglycitols can be prepd. by esterification of dianhydroglycitols, anhydroglycitols and/or glycitols with alkylcarboxylic or arylcarboxylic acids in the presence of an acid catalyst, the acid catalyst being a macroporous acid **ion exchange resin**. If glycitols or monoanhydroglycitols are used as the starting material, the reaction temp. is initially of the order of 120 .degree.C and after the **dehydration** is approx. 140 .degree.C. Thus, esterification of **isosorbide** with n-octanoic acid in the presence of Amberlyst 15 resin gave **isosorbide** 2,5-di-n-octanoic acid in 98% yield.

REFERENCE COUNT: 5 THERE ARE 5 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

L3 ANSWER 2 OF 2 CAPLUS COPYRIGHT 2003 ACS

ACCESSION NUMBER: 1993:473028 CAPLUS

DOCUMENT NUMBER: 119:73028

TITLE: Preparation of heat- and/or alkali-stable sorbitan
INVENTOR(S): Kawashima, Shigeru; Amano, Yoichi; Takemura, Motohiro;
Kato, Kazuaki

PATENT ASSIGNEE(S): Towa Kasei Kogyo Co., Ltd., Japan

SOURCE: Jpn. Kokai Tokkyo Koho, 6 pp.

CODEN: JKXXAF

DOCUMENT TYPE: Patent

LANGUAGE: Japanese

FAMILY ACC. NUM. COUNT: 1

PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
JP 05017468	A2	19930126	JP 1991-196153	19910711
JP 3134203	B2	20010213		

PRIORITY APPLN. INFO.: JP 1991-196153 19910711

AB Heat- and/or alkali-stable sorbitan (I) is obtained by adjusting an aq. soln. of I to pH 8-14 with an alkali, heating it at 90-220.degree., and purifn. The heat-treated and purified I crystals and an aq. soln. thereof are not markedly colored during storage and concn. at room temp. or esterification with fatty acids. Thus, 7.1 kg of an aq. I soln. (Sorbit D-70) was concd. in vacuo at 100.degree.; H2SO4 (1 wt.% of I) was added; the mixt. was subjected to **dehydration** at 120.degree. for 90 min under an aspirator. The reaction mixt. was cooled to 60.degree.; a 200 g portion was dild. with warm (50.degree.) H2O to 50% concn., adjusted to pH 10.6 with 20% aq. NaOH, and heated at 130.degree. for 30 min. The reaction mixt. was left to cool to 80.degree., stirred with activated charcoal (2 wt.% of the solid content of the soln.) for 15 min, filtered to remove the charcoal, and then passed through 300 mL of a mixed bed-type **ion exchange resin**. for deionization to give a product consisting of a solid contg. I 75.2, **isosorbide** 5.4, sorbitol 12.1, and other sugar alcs. 7.3%. When 60 g of a 50% soln. of the product was heated with 5 g 10% aq. NaOH for 30 min, the APHA color of the soln. was 20.


=>

=> s isosorbide/cn
L1 1 ISOSORBIDE/CN

=> d l1

L1 ANSWER 1 OF 1 REGISTRY COPYRIGHT 2003 ACS
RN 652-67-5 REGISTRY
CN D-Glucitol, 1,4:3,6-dianhydro- (9CI) (CA INDEX NAME)
OTHER CA INDEX NAMES:
CN Furo[3,2-b]furan, D-glucitol deriv.
CN Glucitol, 1,4:3,6-dianhydro-, D- (8CI)
CN Sorbitol, 1,4:3,6-dianhydro- (6CI)
OTHER NAMES:
CN (+)-D-Isosorbide
CN 1,4:3,6-Dianhydro-D-glucitol
CN 1,4:3,6-Dianhydro-D-sorbitol
CN 1,4:3,6-Dianhydrosorbitol
CN AT 101
CN Devicoran
CN Hydronol
CN Ismotic
CN Isobide
CN **Isosorbide**
CN NSC 40725
FS STEREOSEARCH
DR 7241-88-5, 50974-60-2, 151380-60-8, 152881-21-5, 42750-75-4, 49871-92-3
MF C6 H10 O4
CI COM
LC STN Files: ADISNEWS, AGRICOLA, ANABSTR, BEILSTEIN*, BIOBUSINESS, BIOSIS,
BIOTECHNO, CA, CANCERLIT, CAOLD, CAPLUS, CASREACT, CEN, CHEMCATS,
CHEMINFORMRX, CHEMLIST, CIN, CSCHEM, DDFU, DIOGENES, DRUGU, EMBASE,
HSDB*, IFICDB, IFIPAT, IFIUDB, IPA, MEDLINE, MRCK*, PHARMASEARCH, PIRA,
PROMT, RTECS*, SPECINFO, TOXCENTER, USAN, USPAT2, USPATFULL
(*File contains numerically searchable property data)
Other Sources: DSL**, EINECS**, TSCA**, WHO
(**Enter CHEMLIST File for up-to-date regulatory information)

Absolute stereochemistry. Rotation (+).



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

335 REFERENCES IN FILE CA (1962 TO DATE)
32 REFERENCES TO NON-SPECIFIC DERIVATIVES IN FILE CA
335 REFERENCES IN FILE CAPLUS (1962 TO DATE)
14 REFERENCES IN FILE CAOLD (PRIOR TO 1967)

=> file caplus

COST IN U.S. DOLLARS

SINCE FILE

TOTAL

ENTRY

SESSION

FULL ESTIMATED COST

6.70

7.33

FILE 'CAPLUS' ENTERED AT 10:55:56 ON 27 FEB 2003

USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.

PLEASE SEE "HELP USAGETERMS" FOR DETAILS.

COPYRIGHT (C) 2003 AMERICAN CHEMICAL SOCIETY (ACS)

Copyright of the articles to which records in this database refer is held by the publishers listed in the PUBLISHER (PB) field (available for records published or updated in Chemical Abstracts after December 26, 1996), unless otherwise indicated in the original publications. The CA Lexicon is the copyrighted intellectual property of the American Chemical Society and is provided to assist you in searching databases on STN. Any dissemination, distribution, copying, or storing of this information, without the prior written consent of CAS, is strictly prohibited.

FILE COVERS 1907 - 27 Feb 2003 VOL 138 ISS 9
FILE LAST UPDATED: 26 Feb 2003 (20030226/ED)

This file contains CAS Registry Numbers for easy and accurate substance identification.

```
=> s 652-67-5/prep
      337 652-67-5
      2970869 PREP/RL
L2      59 652-67-5/PREP
          (652-67-5 (L) PREP/RL)

=> s l2 and vacuum distill? and melt crysta?
      286048 VACUUM
      101816 DISTILL?
      2561 VACUUM DISTILL?
          (VACUUM(W)DISTILL?)
      262795 MELT
      1470852 CRYSTA?
      966 MELT CRYSTA?
          (MELT(W)CRYSTA?)
L3      0 L2 AND VACUUM DISTILL? AND MELT CRYSTA?

=> s l2 and vacuum distill? and crysta?
      286048 VACUUM
      101816 DISTILL?
      2561 VACUUM DISTILL?
          (VACUUM(W)DISTILL?)
      1470852 CRYSTA?
L4      0 L2 AND VACUUM DISTILL? AND CRYSTA?

=> s l2 and distill? and crysta?
      101816 DISTILL?
      1470852 CRYSTA?
L5      0 L2 AND DISTILL? AND CRYSTA?

=> s L2 and distill? and crysta?
      101816 DISTILL?
      1470852 CRYSTA?
L6      0 L2 AND DISTILL? AND CRYSTA?

=> s L2 and distill?
      101816 DISTILL?
L7      1 L2 AND DISTILL?

=> s L2 and crysta?
      1470852 CRYSTA?
L8      7 L2 AND CRYSTA?

=> s l7 or l8
L9      8 L7 OR L8

=> d 1-8 ibib abs hitstr
```

L9 ANSWER 1 OF 8 CAPLUS COPYRIGHT 2003 ACS
ACCESSION NUMBER: 2002:585158 CAPLUS

DOCUMENT NUMBER: 138:39
TITLE: The solvent-free thermal dehydration of hexitols on zeolites
AUTHOR(S): Kurszewska, Maria; Skorupowa, Eugenia; Madaj, Janusz; Konitz, Antoni; Wojnowski, Wieslaw; Wisniewski, Andrzej
CORPORATE SOURCE: Department of Chemistry, University of Gdansk, Gdansk, PL-80-952, Pol.
SOURCE: Carbohydrate Research (2002), 337(14), 1261-1268
CODEN: CRBRAT; ISSN: 0008-6215
PUBLISHER: Elsevier Science Ltd.
DOCUMENT TYPE: Journal
LANGUAGE: English
OTHER SOURCE(S): CASREACT 138:39479


AB Dehydration of galactitol, D-glucitol and D-mannitol at high temp. in the presence of mol. sieves without solvent under an argon atm. is described. Cyclodehydration products with retention or inversion of the configuration at asym. carbon atoms, were obsd. Reaction of galactitol yielded racemic 1,4-anhydrogalactitol in a first step and then racemic 1,4:3,6-dianhydroiditol. Complete anal. sepns. of exhaustively O-acetylated reaction products were achieved by GC and structures were assigned using co-injection with stds.

IT 652-67-5P
RL: SPN (Synthetic preparation); PREP (Preparation)
(solvent-free thermal dehydration of hexitols using zeolites)

RN 652-67-5 CAPLUS

CN D-Glucitol, 1,4:3,6-dianhydro- (9CI) (CA INDEX NAME)

Absolute stereochemistry. Rotation (+).



REFERENCE COUNT: 24 THERE ARE 24 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

L9 ANSWER 2 OF 8 CAPLUS COPYRIGHT 2003 ACS

ACCESSION NUMBER: 2002:462519 CAPLUS

DOCUMENT NUMBER: 137:54728

TITLE: Chiral dopants for induction of a variable helical pitch and their application in color reflective display

INVENTOR(S): Chuard, Thierry; Deschenaux, Robert; Klappert, Rolf; Meyer, Severine

PATENT ASSIGNEE(S): Asulab S.A., Switz.

SOURCE: Eur. Pat. Appl., 25 pp.

CODEN: EPXXDW

DOCUMENT TYPE: Patent

LANGUAGE: French

FAMILY ACC. NUM. COUNT: 1

PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
EP 1215271	A1	20020619	EP 2000-204584	20001218
R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, SI, LT, LV, FI, RO, MK, CY, AL, TR				
US 2002114902	A1	20020822	US 2001-331	20011204
JP 2002241757	A2	20020828	JP 2001-384597	20011218
PRIORITY APPLN. INFO.:			EP 2000-204584	A 20001218

AB The invention relates to chiral dopants to induce the modification of the helical pitch of a cholesteric liq. crystal compn., wherein the

dopant has a chiral bifunctional group, which has a polymerizable terminal group, by irradiation of light. The dopant is suitable for use in color reflective liquid crystal displays.

IT 652-67-5P


RL: RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation); RACT (Reactant or reagent)

(chiral dopants for induction of a variable helical pitch and application in color reflective display)

RN 652-67-5 CAPLUS

CN D-Glucitol, 1,4:3,6-dianhydro- (9CI) (CA INDEX NAME)

Absolute stereochemistry. Rotation (+).



REFERENCE COUNT: 8 THERE ARE 8 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

L9 ANSWER 3 OF 8 CAPLUS COPYRIGHT 2003 ACS

ACCESSION NUMBER: 2002:391474 CAPLUS

DOCUMENT NUMBER: 136:391093

TITLE: Chromatographic processes for recovery of isosorbide
INVENTOR(S): Dalziel, Sean Mark; Green, Daniel Albert; Zolandz, Raymond Richard

PATENT ASSIGNEE(S): E.I. Dupont De Nemours and Company, USA

SOURCE: PCT Int. Appl., 15 pp.

CODEN: PIXXD2

DOCUMENT TYPE: Patent

LANGUAGE: English

FAMILY ACC. NUM. COUNT: 1

PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 2002039957	A2	20020523	WO 2001-US47136	20011106
W: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, PH, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, TZ, UA, UG, US, UZ, VN, YU, ZA, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM				
RW: GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZW, AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG				
AU 2002035166	A5	20020527	AU 2002-35166	20011106
PRIORITY APPLN. INFO.: US 2000-246038P P 20001106				
WO 2001-US47136 W 20011106				

AB The present invention provides a process which will allow recovery of high yields of pure isosorbide from crude reaction mixts. More specifically, the instant invention demonstrates that isosorbide can be chromatog. sepd. to yield pure material, using com. strong-acid cation exchange resins.

IT 652-67-5P, Isosorbide


RL: PUR (Purification or recovery); THU (Therapeutic use); BIOL (Biological study); PREP (Preparation); USES (Uses)

(chromatog. purifn. of isosorbide using ion exchangers)

RN 652-67-5 CAPLUS

CN D-Glucitol, 1,4:3,6-dianhydro- (9CI) (CA INDEX NAME)

Absolute stereochemistry. Rotation (+).




L9 ANSWER 4 OF 8 CAPLUS COPYRIGHT 2003 ACS
 ACCESSION NUMBER: 1998:333359 CAPLUS
 DOCUMENT NUMBER: 129:54668
 TITLE: Liquid **crystalline** poly(ester-amide)s
 containing chiral groups for second harmonic
 generation
 AUTHOR(S): Maniram, K. A.; Sreekumar, K.
 CORPORATE SOURCE: Department of Chemistry, University of Kerala,
 Trivandrum, 695581, India
 SOURCE: Proceedings of SPIE-The International Society for
 Optical Engineering (1998), 3321(Smart Materials,
 Structures, and MEMS), 67-71
 CODEN: PSISDG; ISSN: 0277-786X
 PUBLISHER: SPIE-The International Society for Optical Engineering
 DOCUMENT TYPE: Journal
 LANGUAGE: English

AB The synthesis, characterization and evaluation of optical properties of a
 series of new copoly(ester-amides) contg. donor-acceptor amino-nitro
 functionality and a chiral building unit are reported. The
 poly(ester-amides) are highly thermally stable, possess high Tg values and
 show liq. cryst. behavior over a wide temp. range. The optical purity of
 the polymers is maintained even at high temp. High temp. stability of the
 second harmonic generation efficiency was obsd. for the copolymers.

IT 652-67-5DP, polymers with polyethylene glycol and diacid chloride
 RL: PRP (Properties); SPN (Synthetic preparation); **PREP**
 (Preparation)
 (prepn. of liq.-cryst. polyamide-polyesters contg. isosorbide groups
 for second harmonic generation)

RN 652-67-5 CAPLUS
 CN D-Glucitol, 1,4:3,6-dianhydro- (9CI) (CA INDEX NAME)

Absolute stereochemistry. Rotation (+).



REFERENCE COUNT: 10 THERE ARE 10 CITED REFERENCES AVAILABLE FOR THIS
 RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

L9 ANSWER 5 OF 8 CAPLUS COPYRIGHT 2003 ACS
 ACCESSION NUMBER: 1997:713888 CAPLUS
 DOCUMENT NUMBER: 127:331774
 TITLE: "Sugar diols" as building blocks of polycondensates
 AUTHOR(S): Kricheldorf, Hans R.
 CORPORATE SOURCE: Institut für Technische und Makromolekulare Chemie der
 Universität, Hamburg, D-20146, Germany
 SOURCE: Journal of Macromolecular Science, Reviews in
 Macromolecular Chemistry and Physics (1997), C37(4),
 599-631
 CODEN: JMSPDH; ISSN: 0736-6574
 PUBLISHER: Dekker

DOCUMENT TYPE: Journal General Review
LANGUAGE: English


AB A review with 68 refs. on condensation polymers based principally on isosorbide, isoidide, and isomannide. Chiral polymers (including polyesters) and crosslinkable and linear cholesteric polymers are discussed.

IT **652-67-5DP**, Isosorbide, condensation polymers
RL: PEP (Physical, engineering or chemical process); PRP (Properties); SPN (Synthetic preparation); **PREP (Preparation)**; PROC (Process)
(prepn. and properties and processing of)

RN 652-67-5 CAPLUS

CN D-Glucitol, 1,4:3,6-dianhydro- (9CI) (CA INDEX NAME)

Absolute stereochemistry. Rotation (+).



L9 ANSWER 6 OF 8 CAPLUS COPYRIGHT 2003 ACS

ACCESSION NUMBER: 1992:84056 CAPLUS

DOCUMENT NUMBER: 116:84056

TITLE: Polyol conversions into furanic derivatives on bimetallic catalysts: copper-ruthenium, copper-platinum, and ruthenium-copper

AUTHOR(S): Montassier, C.; Menezo, J. C.; Moukolo, J.; Naja, J.; Hoang, L. C.; Barbier, J.; Boitiaux, J. P.

CORPORATE SOURCE: Lab. Chim., CNRS, Poitiers, 86022, Fr.

SOURCE: Journal of Molecular Catalysis (1991), 70(1), 65-84
CODEN: JMCADS; ISSN: 0304-5102

DOCUMENT TYPE: Journal

LANGUAGE: English

OTHER SOURCE(S): CASREACT 116:84056


AB Bimetallic catalysts were prepd. using two different techniques. Ru or Pt was deposited on Raney copper by oxido-redn. Deposited on charcoal was modified by Cu by catalytic redn. Aq. phase polyol conversions of (glycerol, erythritol, xylitol, glucitol) in the range 493-533 K under 4 MPa of hydrogen show that unsatd. intermediates resulting from dehydrogenation are irreversibly adsorbed on the surface of copper-based catalysts modified or not by Ru or Pt. C-C and C-O bond cleavages obsd. on Raney copper occur through the nucleophilic action of adsorbed hydroxyl groups. For surface at. ratios Ru or Pt to copper from 0-0.15, these reactions are deactivated due to the disappearance of surface hydroxyl groups. For surface at. ratios Ru or Pt to copper greater than 0.15, cyclodehydration reactions leading to furanic derivs. occur through an electron transfer from copper to the second metal, thus creating electrophilic copper. In the case of Ru modified by Cu, only the more active sites of Ru responsible for the multiple hydrogenolysis of C-C and C-O bonds are poisoned, part of the copper being deposited on the charcoal support. The remaining Ru not interacting with Cu retains a high activity for simple hydrogenolysis of C-C and C-O bonds.

IT **652-67-5P**
RL: SPN (Synthetic preparation); **PREP (Preparation)**
(prepn. of)

RN 652-67-5 CAPLUS

CN D-Glucitol, 1,4:3,6-dianhydro- (9CI) (CA INDEX NAME)

Absolute stereochemistry. Rotation (+).



L9 ANSWER 7 OF 8 CAPLUS COPYRIGHT 2003 ACS

ACCESSION NUMBER: 1984:407594 CAPLUS

DOCUMENT NUMBER: 101:7594

TITLE: Pure **crystalline** anhydropentites, mono- and /or dianhydrohexites

INVENTOR(S): Feldmann, John; Koebernick, Hubert; Richter, Klaus; Woelk, Hans Ulrich

PATENT ASSIGNEE(S): Maizena G.m.b.H., Fed. Rep. Ger.

SOURCE: Ger. Offen., 17 pp.

CODEN: GWXXBX

DOCUMENT TYPE: Patent

LANGUAGE: German

FAMILY ACC. NUM. COUNT: 1

PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
DE 3230349	A1	19840216	DE 1982-3230349	19820814
US 4564692	A	19860114	US 1983-514731	19830718
ZA 8305814	A	19840425	ZA 1983-5814	19830808
EP 106957	A1	19840502	EP 1983-107858	19830809
EP 106957	B1	19870318		
R: BE, CH, DE, FR, GB, IT, LI, NL, SE				
FI 8302881	A	19840215	FI 1983-2881	19830810
FI 83653	B	19910430		
FI 83653	C	19910812		
DK 8303682	A	19840215	DK 1983-3682	19830812
BR 8304343	A	19840320	BR 1983-4343	19830812
ES 524921	A1	19840516	ES 1983-524921	19830812
CA 1247117	A1	19881220	CA 1983-434503	19830812

PRIORITY APPLN. INFO.: DE 1982-3230349 19820814

AB Anhydroalditols, e.g., 1,4:3,6-dianhydro-D-sorbitol, 1,4:3,6-dianhydro-D-mannitol, and 1,4-anhydro-D-sorbitol were obtained 99% pure by crystn. from aq. anhydroalditol mixts. Thus, 100 g of a mother liquor contg. 7.5 wt. % H₂O and 66% 1,4-anhydro-D-sorbitol (dry wt.) was stirred 18 h. at 55.degree. and cooled to 30.degree. to give 36 g of 99% pure 1,4-anhydro-D-sorbitol contg. less than 0.5 % water.


IT 652-67-5P

RL: PUR (Purification or recovery); PREP (Preparation)
(purifn. of)

RN 652-67-5 CAPLUS

CN D-Glucitol, 1,4:3,6-dianhydro- (9CI) (CA INDEX NAME)

Absolute stereochemistry. Rotation (+).



L9 ANSWER 8 OF 8 CAPLUS COPYRIGHT 2003 ACS

ACCESSION NUMBER: 1972:14835 CAPLUS

DOCUMENT NUMBER: 76:148
TITLE: Preparation of 1,4:3,6-dianhydroglucitol
AUTHOR(S): Plucinski, Janusz; Durda, Wladyslawa; Sinicka, Stefania
CORPORATE SOURCE: Zak-. Podstawy Synt. Org., Politech. Wroclawska, Wroclaw, Pol.
SOURCE: Prace Naukowe Instytutu Technologii Organicznej i Tworzyw Sztucznych Politechniki Wroclawskiej (1971), No. 3, 3-14
CODEN: PNITAF; ISSN: 0370-0879
DOCUMENT TYPE: Journal
LANGUAGE: Polish


AB The compd. was prepd. by phosphoric or sulfuric acid dehydration of D-glucitol in boiling benzene, toluene or xylene. The best yield 83.1% of the **distilled** product was obtained when 1.5% of H₃PO₄ (to glucitol) and xylene were used. For sulfuric acid the best concn. was 1-1.5% but yields were not better than 72.1%.

IT **652-67-5P**
RL: SPN (Synthetic preparation); **PREP (Preparation)** (prepn. of)

RN 652-67-5 CAPLUS

CN D-Glucitol, 1,4:3,6-dianhydro- (9CI) (CA INDEX NAME)

Absolute stereochemistry. Rotation (+).



=> s anhydro sugar alcohols

8935 ANHYDRO
216120 SUGAR
130046 ALCOHOLS

L14 3 ANHYDRO SUGAR ALCOHOLS
(ANHYDRO (W) SUGAR (W) ALCOHOLS)

=> s anhydro sugar alcohol

8935 ANHYDRO
216120 SUGAR
179557 ALCOHOL

L15 0 ANHYDRO SUGAR ALCOHOL
(ANHYDRO (W) SUGAR (W) ALCOHOL)

=> d 1-3 l14 ibib abs hitstr

L14 ANSWER 1 OF 3 CAPLUS COPYRIGHT 2003 ACS

ACCESSION NUMBER: 2001:886131 CAPLUS

DOCUMENT NUMBER: 136:6291

TITLE: Process for the manufacture of **anhydro sugar alcohols** with the assistance of a gas purge

INVENTOR(S): Andrews, Mark Allen; Bhatia, Kamlesh Kumar; Fagan, Paul Joseph

PATENT ASSIGNEE(S): E.I. Dupont De Nemours and Company, USA

SOURCE: PCT Int. Appl., 14 pp.

CODEN: PIXXD2

DOCUMENT TYPE: Patent

LANGUAGE: English

FAMILY ACC. NUM. COUNT: 1

PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 2001092266	A2	20011206	WO 2001-US16571	20010522
W:				
AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CR, CU, CZ, DE, DK, DM, DZ, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, TZ, UA, UG, US, UZ, VN, YU, ZA, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM				
RW:				
GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZW, AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG				
EP 1283840	A2	20030219	EP 2001-939271	20010522
R:				
AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, SI, LT, LV, FI, RO, MK, CY, AL, TR				
US 2002028959	A1	20020307	US 2001-864465	20010524
PRIORITY APPLN. INFO.:			US 2000-207715P P	20000526
			WO 2001-US16571 W	20010522

OTHER SOURCE(S): CASREACT 136:6291

AB 1This invention concerns a process for the manuf. of anhydro- and dianhydro- hexitols, pentitols, and tetritols by the dehydration of sugar alcs. (alditols) in the presence of a zeolite dehydration catalyst and with the assistance of an inert gas sparge.

L14 ANSWER 2 OF 3 CAPLUS COPYRIGHT 2003 ACS

ACCESSION NUMBER: 2001:886098 CAPLUS

DOCUMENT NUMBER: 136:20218

TITLE: Continuous process for manufacture of **anhydro sugar alcohols** and reactor useful therefor

INVENTOR(S): Bhatia, Kamlesh Kumar

PATENT ASSIGNEE(S): E.I. Dupont De Nemours and Co., USA

SOURCE: PCT Int. Appl., 12 pp.

CODEN: PIXXD2

DOCUMENT TYPE: Patent

LANGUAGE: English

FAMILY ACC. NUM. COUNT: 1

PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 2001092246	A2	20011206	WO 2001-US16662	20010522
WO 2001092246	A3	20020404		
W:	AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CR, CU, CZ, DE, DK, DM, DZ, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, TZ, UA, UG, US, UZ, VN, YU, ZA, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM			
RW:	GH, GM, KE, LS, MW, MZ, SD, SL, SZ, UG, ZW, AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG			
US 2002002291	A1	20020103	US 2001-864466	20010524
US 6407266	B2	20020618		

PRIORITY APPLN. INFO.: US 2000-207313P P 20000526

OTHER SOURCE(S): CASREACT 136:20218

AB Anhydro- and dianhydro- hexitols, pentitols, and tetritols are manufd. by dehydration of sugar alcs. (alditols) in the presence of a dehydration catalyst (e.g., H₂SO₄), wherein at least one sugar alc. is sorbitol and the product is isosorbide.

L14 ANSWER 3 OF 3 CAPLUS COPYRIGHT 2003 ACS

ACCESSION NUMBER: 2000:175805 CAPLUS

DOCUMENT NUMBER: 132:194598

TITLE: Continuous process for the production of
anhydro sugar alcohols via
acid-catalyzed dehydration

INVENTOR(S): Brinegar, Willard C.; Wohlers, Michael; Hubbard, Michael A.; Zey, Edward G.; Kvakovszky, George; Shockley, Thomas H.; Roesky, Rainer; Dingerdissen, Uwe; Kind, Werner; Kohle, Norbert; Rieth, Jochen; Thomzigk, Manfred

PATENT ASSIGNEE(S): E.I. du Pont de Nemours and Company, USA

SOURCE: PCT Int. Appl., 32 pp.

CODEN: PIXXD2

DOCUMENT TYPE: Patent

LANGUAGE: English

FAMILY ACC. NUM. COUNT: 1

PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 2000014081	A1	20000316	WO 1999-US537	19990111
W:	AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CU, CZ, DE, DK, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, UA, UG, US, UZ, VN, YU, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM			
RW:	GH, GM, KE, LS, MW, SD, SZ, UG, ZW, AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG			
DE 19841032	A1	20000316	DE 1998-19841032	19980909
CA 2340348	AA	20000316	CA 1999-2340348	19990111
AU 9921112	A1	20000327	AU 1999-21112	19990111
EP 1119558	A1	20010801	EP 1999-901410	19990111
R:	BE, CH, DE, DK, ES, FR, GB, IT, LI, NL			
BR 9913612	A	20011030	BR 1999-13612	19990111
JP 2002524455	T2	20020806	JP 2000-568839	19990111

PRIORITY APPLN. INFO.: DE 1998-19841032 A 19980909

WO 1999-US537 W 19990111

AB A process is described for continuous prodn. of anhydro sugar alcs. by continuous introducing of sugar alcs. and/or monoanhydro sugar alcs. into a reaction vessel and dehydration in the presence of an acid catalyst and solvent, preferably an org. solvent, in which the resultant reaction

products are sol. Water and the org. solvent having the dissolved reaction product are each continuously removed from the reaction chamber. The reaction product is sepd. from the removed solvent, which is recycled into the reaction vessel. The reaction product is optionally purified by distn. and/or recrystn. The purified reaction product obtained is particularly suitable as a starting product for producing polymers, and has a purity of at least 99.0 %. Thus, a continuous process of sulfuric acid-catalyzed dehydration of sorbitol in xylene gave isosorbide in 79% yield.

REFERENCE COUNT:

4

THERE ARE 4 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

=>